

Request for Proposal

Salesforce Transit Center – CMMS Software Services RFP

LPC West Transit Management LLC Issue Date: November 21, 2017

Table of Contents

Section 1

- 1.1 Introduction
- 1.2 Contract Summary & Property Location(s)
- 1.3 Instructions to Bidders
- 1.4 Submittal Contents

Section 2

RFP Process Schedule

Section 3

Evaluation Criteria

Section 4

Proposed Scope of Work

Section 5

Insurance Requirements

- Exhibit A. Description of Services
- Exhibit B. TJPA Requirements (attached)
- Exhibit C. Bid Pricing Form (attached as Excel file)
- Exhibit D. Site Plans
- Exhibit E. LEED Gold Certification
- Exhibit F. Facility Systems Summary
- Exhibit G. NDA TJPA
- Exhibit H. Additional RFP Documentation (attached as needed), (important to review)
- Exhibit I: Supplier Classification Form

Section 1. Introduction, Contract Summary & Property Location(s) and Instructions to Bidders

1.1 Introduction

LPC West Transit Management LLC is the asset management entity overseeing the new Salesforce Transit Center. The Salesforce Transit Center is a modern regional transit hub that will connect the Bay Area counties and the State of California through multiple transit systems. The Salesforce Transit Center is being developed in two phases. Phase I includes design and construction of the above-grade portion of the Transit Center including the 5.4-acre, 1,400-foot linear Rooftop Park, the structure and core of the two below grade levels of the train station, Bus Ramp, and Bus Storage Facility. The Downtown Rail Extension (DTX) tunnel, the build out of the below-grade train station facilities at the Salesforce Transit Center will follow as Phase II. Phase I will include approximately 103,300 sf of retail and office uses.

1.2 Contract Summary & Property Location(s)

This RFP is for CMMS Software Services. LPC West Transit Management LLC will execute a contract with a professional CMMS Software provider(s) on a non-exclusive basis, month to month contract basis for the Salesforce Transit Center.

The proposed Scope of Work is outlined in Section 4; required services are detailed in Exhibit A. Description of Services.

1.3 Instructions to Bidders

a. Submit an electronic copy of the proposal package by <u>December 1, 2017</u> via email to:

Tony Smith, Senior General Manager - Lincoln Property Company tonysmith@lpc.com

b. All questions and requests for clarification should be sent by <u>November 27</u>, 2017 via email to:

Tony Smith, Senior General Manager - Lincoln Property Company tonysmith@lpc.com

Bidders' questions will be answered via email to all bidders on <u>November</u> 28, 2017.

- c. The successful bidder(s) will be required to obtain appropriate Certificates of Insurance (see Section 5) for each property they are contracted for. The stated limits must be met, and all Additional Insureds must be listed (see Section 5).
- d. LPC West Transit Management LLC reserves the right to reject any or all bids, to waive any bid formality, and to engage the firm deemed best able to serve LPC West Transit Management LLC and its customers.
- e. LPC West Transit Management LLC intends to execute a Service Agreement for the property(ies) listed in this RFP. Bidders should provide a scope of work and fee schedule for listed property.

1.4 Submittal Contents

a. SUBMITTAL SHALL INCLUDE:

- Response to Qualifications& Capabilities Questions (see subsection "b" below)
- Description of your team's Approach to Services, including:
 - Transition Plan
- Completed Bid Pricing Form. (see Exhibit C.)
- CMMS Software Overview & Web Site Development Capabilities
- Sample Certificates of Insurance (see Section 5)

b. QUALIFICATIONS & CAPABILITIES QUESTIONS

- 1. Provide the following information about your firm:
 - a. A brief history of the company
 - b. A short description of your firm's capabilities and experience, including specifics related to any similar facilities public and/or private facilities that have mixed uses (i.e., public park, public transit, retail, office, etc.).
- 2. Provide 2 examples of **CMMS Software** projects performed within the past 2 years that are similar in facility type and scope to that described in this RFP, including:
 - Client
 - Facility name and location
 - Building square footage
 - Brief description of contract services

-

- 3. Describe your quality control process and procedures, including:
 - a. Key performance indicators

Section 2. RFP Process Schedule

November 21, 2017 Requests for Proposal Emailed to Bidders

November 27, 2017 @ 10am, Site Visit with Operations Team & Property Manager on-site, "Not Mandatory"

December 1st, 2017 @ 5pm Completed Bid Packages Due Electronically

TBD Interview(s) with Shortlisted Bidder(s)

TBD Called as needed Anticipated Contract Start Date

Section 3. Evaluation Criteria

Proposals will be evaluated using the following criteria:

- a. Capacity/depth of resources available to ensure responsive service
- b. Two References from current and/or previous building owners/operators
- c. Proven approach to providing quality and cost-effective services
- d. Commitment to client/tenant satisfaction
- e. Innovative or value-added services
- f. Readiness to meet insurance requirements
- g. Each bidder is required to complete Exhibit I. the Supplier Classification Profile Form and identify if they are a SBE/DBE/WBE/LBE, etc.

Section 4. Proposed Scope of Work

Work Specifications

a. Contractor shall provide CMMS Software

Contracted Services

 The Contractor shall complete all other tasks or duties as needed or necessary and as determined by Manager.

Section 5. Certificate of Insurance Requirements

Please include in your bid submittal a Sample Certificate of Insurance with the specifications listed below:

Minimum Certificate of Insurance (COI) Requirements:

Commercial General Liability Insurance: \$1,000,000

Commercial Automobile Liability Insurance: \$1,000,000

Workers Compensation: \$1,000,000

Professional Errors & Omission Liability \$2,000,000

Please see Exhibit B for further COI requirement details including the Additional Insured language.

Exhibit A - Description of Services

Exhibit B – TJPA Service Contractor Requirements (including Minimum COI Requirements and Additional Insured Language)


(See Attached &

TJPA Website Link - http://transbaycenter.org/tjpa/doing-business-with-the-tjpa)

Exhibit C - Bid Pricing Form


(See included Excel File)


Exhibit D - Site Plan







Lower Levels Support Space EXHIBIT B-4







ROOF PARK LEVEL





BUS DECK LEVEL




Transit Center Signage EXHIBIT B-5












Exhibit E - LEED Gold Certification

TJPA is committed to achieving the goal of LEED Gold Certification for the Transbay Transit Center. The following commitments for the commercial space improvements will contribute toward achievement of this goal:

- Meet the requirements of WEp1 and WEc3 Water Use Reduction by reducing water consumption for regulated plumbing fixtures by at least 35% relative to the baseline allowance calculated per the LEED-CS v2009 Reference Guide. The "base" building uses 1.28 gallons per flush (gpf) high-efficiency water closets, 0.125 gpf urinals, 0.5 gallons per minute (gpm) automatic lavatory faucets, and 2.2 gpm kitchen-type faucets. However, because the base building plumbing fixtures do not cover all building users, the owner has recognized that retail tenant space must use fixtures with flow/flush rates equal to or better than those indicated above in order for the CS prerequisite and credit thresholds to be earned.
- If any new HVAC&R equipment is to be installed in retail tenant spaces, mechanical ventilation systems must be designed using the Ventilation Rate Procedure in Section 6.2 of ASHRAE Standard 62.1-2007. Ventilation systems must meet the requirements Sections 4 through 7, Ventilation for Acceptable Indoor Air Quality (with errata but without addenda).
- Meet the requirements of IEQc1 Outdoor Air Delivery Monitoring by ensuring that an airflow measurement device is installed at all outdoor air intakes. The device must measure the minimum outdoor air intake flow with an accuracy of plus or minus 15% of the design minimum outdoor air rate. As installation of an airflow measuring device may be cost prohibitive for some tenants, alternatively, retail tenants may install a carbon dioxide (CO2) monitor between 3 and 6 feet above the floor in all occupiable spaces. This is allowable per LEED Interpretation numbers 1830 and 1701, which may be referenced for greater detail. Tenant must configure monitoring equipment to generate an alarm via either a building automation system alarm to the building operator or a visual or audible alert to the space occupants when the airflow values or CO2 levels vary by 10% or more from the design values
- If any new HVAC&R equipment is to be installed in retail tenant spaces, meet the requirements of EAp3 and EAc4 Fundamental and Enhanced Refrigerant Management by complying with one of the following options:
 - o Do not use refrigerants
 - If refrigerants are used, do not use CFC based refrigerants, and ensure HVAC&R equipment complies with standards outlined in the LEED-CS v2009 Rating System.

• If additional fire suppression systems are installed in the retail tenant spaces, meet the requirements of EAc4 Enhanced Refrigerant Management by installing fire suppression systems that do not contain ozone-depleting substances such as CFCs, hydrochlorofluorocarbons (HCFCs) or halons.

Exhibit F – Facility Systems Summary

Systems Summary

- Lighting and daylighting control systems
- Heating, ventilating, and air conditioning (HVAC) systems
 - Air distribution systems
 - Passive ventilation systems
 - Mechanical ventilation system
 - Air circulation
 - o Central building automation system
 - Radiant cooling slab
 - o Geothermal-heat exchanger system
- Building envelope
- Electrical systems
- Communications
- Fire alarm, fire detection, fire fighting, fire annunciation, and other required Fire Life Safetysystems
- Plumbing
 - o Domestic cold water system
 - o Domestic hot water system
 - Stormwater system
- Sanitary waste system