

## **Exhibit “H”**

### **Hydro Jetting Services (RFP)**

Hydro Jetting Services staff dispatched to perform on-call as needed or job specific proposals need to be experts in their field of work. Contractor represents that it will employ skilled, competent, certified (as applicable) and licensed (as applicable) employees to perform the services set forth herein and will provide all manpower required to Hydro-Jet all sewer waste line systems.

#### **Work Specifications:**

- Contractor shall provide to LPC or LPC’s agent before and after pictures or video of the interior pipe cleaning(s).
- Contractor shall have equipment necessary to perform Hydro Jetting to all major plumbing sewer waste lines.
- Contractor shall be provided as built drawings upon request and locations of the waste line clean out’s.

#### **Building Levels:**

- Size of waste line clean outs are: 6” 3” 2”
- Average clean out count is 20 per floor

#### **Pipe Sizes:**

- 4<sup>th</sup> Level, Park Restaurant Area, 3” and 6 “ plumbing line(s)
- 3<sup>rd</sup> Level, Bus Deck Area, 3” line(s)
- 2<sup>nd</sup> Level, Retail Shopping and Office Space, 2” and 3 “ line(s)
- 1<sup>st</sup> Level Retail, 3” and 6” line(s)
- Lower concourse level, 3 inch line(s)
- Lower level / train platform level, 2” and 3” line(s)